

LABORATORY-GROWN MEAT: EVALUATING ANALYTICAL TECHNIQUES, REGULATORY CHALLENGES, ENVIRONMENTAL IMPLICATION AND SUSTAINABLE INNOVATIONS

**Bhagyalata Satapathy¹, C.N. Nalini¹, Poorneshwaran.K^{1*}, Jayaprakash.V¹,
Bhuvaneshwaran.K¹.**

**¹Department of pharmaceutical Analysis, C.L Baid Metha College of Pharmacy,
Thoraipakkam, Chennai, Tamil Nadu, India - 600097.**

Highlights

- Cultured meat reduces dependence on conventional meat.
- Analytical evaluation: microbiological safety, nutrition, and sensory properties.
- Regulatory perspectives of cultured meat in several leading countries
- Environmental benefits exist, but energy use and costs remain barriers.

ABSTRACT: The overall global rise in meat consumption, growing environmental degradation, food insecurity, and animal welfare concerns have driven the development of lab-grown or cultured meat. This review had several aspects to consider regarding the status of laboratory cultivated meat including descriptions of various analytical evaluation parameters, the regulatory landscape, potential environmental effects, and pathways for innovation. The analytical evaluation concentrated on key quality control elements, specifically microbiological safety, nutritional quality, sensory characteristics, and biochemical assessments, which are necessary benchmarks for consumer acceptance and product safety. The regulatory context offered complexities in a development context (e.g. Singapore and various other countries), situational relevance (e.g. the challenges of labeling), and international trade factors. The environmental impact of cultured meat production was extracted from several articles, which surprisingly offered mixed conclusions; while there were significant reductions in land and water footprint on average the energy requirements and greenhouse gas emissions varied greatly depending on the types of production methods and scale used. Finally, the pathways for innovation discussion involved new ideas in

bioreactor design, scaffold design, and nutrient composition towards production effectiveness. The results suggested that lab-grown meat offers some solutions to inherent relations of the current food system, but there are still major barriers in regulatory considerations, environmental trade-offs, and ultimately scalability for consumers.

KEYWORDS: Meat/analysis, quality control, food safety, environmental sustainability, food legislation.

1. INTRODUCTION:

The global food industry has experienced technological breakthroughs over the past decade; perhaps the most notable advancement has been lab-grown or cultured meat. Lab-grown meat, or cell-based meat, is cultivated by growing and developing animal cells in a lab without raising animals or slaughtering them. Lab-grown meat is produced by taking a small sample of animal cells, putting them in the right conditions and nutrient environment, and then allowing them to grow into muscle tissue with the texture, flavor profile, and nutrition of conventional meat. (Reddy, N., et al 2015) Lab-grown meat is an exciting alternative to conventional meat sourcing, and has significant implications for reducing environmental degradation, alleviating animal welfare-related ethical issues, and addressing the issues of food security at a global scale. As public curiosity grows, as technology allows for new potentials, lab-grown meat is quickly becoming an important issue in food technology, sustainability, and public health. (Food and Agriculture Organization of the Nations.) FAO reports that by 2050 global meat demand is to see a growth of over 70%. Environmental conservation, public health, and food security are put at very large risk by this growth (FAO,2018) Also it is reported that animal farming is at present a large contributor to greenhouse gas emissions, deforestation, biodiversity loss, water use issues, and is very resource intensive (Poore Nemecek,2018). Also, we see increasing health issues related to animal welfare

and zoonotic diseases (Godfray et al., 2018, Springmann et al., 2018). These issues which we see are what is driving the search for alternative proteins.

In the market, lab grown, cultured or cell-based meat or in-vitro meat has been come into the spotlight by current trends. (Datar I, et al 2010, Rubio NR, et al 2019) In cellular agriculture meat is grown out of animal muscle cells in bioreactors which are supported by a scaffold and a rich nutrient media (Post 2012., Chhikri hocquette,2020). Also in this category, the plant-based meat substitutes are differing from cultured meat which do not use animal products for production. The cultured meat is an attempt to reproduce the structure and sensory experience of traditional meat without the use of animal slaughter (Stephens et al., 2018).

By 2050 global demand for meat may go up by over 70% as per population growth, rising incomes, and urbanization. Thinking of the carbon output, deforestation and water use, the animal meat demand will increase, so alternative to traditional meat is required for human consumption.

In the lab grown meat, animal muscle cells are isolated and placed them in bioreactors which they feed with nutrients to grow into edible tissue as lab-grown meat, in this way we bypass the animal compared to traditional meat.

In 2013 we saw the first lab grown burger. Today that number has grown to over 150 startups which are working on all types of meat steak, chicken, even fish. They are putting in a great deal into this. It is a concern. we put forth that lab grown meat will be safe and tasty and healthy. Each country has their own rules and we can't seem to agree on safety. Also, it is up for debate that this is better for the environment. It all depends on what the cells are fed and what the energy cost is to produce it. We are at a stage where it is very expensive to make and it may not catch on. Also, some find it off putting, others have issues with it from a religion stand point.

This review looks at present research to put forth what we see as the main issues related to cultured meat how do we make it safe and tasty, what legislation is against it, is it really more eco-friendly, we are looking at lab grown meat and what would make you as a consumer to choose it.

2. ANALYTICAL EVALUATION OF LAB GROWN MEAT:

Quality Control Parameters for Lab Cultivated Meat

Analytical Quality Control (AQC) measures in lab-grown meat production ensures product safety, dietary adequacy, and sensory similarity to standard meat cells for rigorous and standardized manner. Unlike traditional meat, that's evaluated publish-slaughter, cultured meat have to be assessed continuously throughout its in vitro cultivation and publish-harvest processing. The strong high-quality warranty framework tailor-made are required in this rising era (Fraeye et al ,2020; Bhat et al.,2015) This segment in these reviews the essential analytical fine domain names in lab-grown meat: microbiological protection, dietary profiling, structural and sensory traits, and biochemical exceptional parameters are detailed.

i. Microbiological Safety

One of the imperative benefits of lab-grown meat is the ability for reduced infection hazard as compared to standard meat, which is prone to pathogens in the course of slaughter and coping with. However, the sterile in vitro environment does no longer do away with all microbial threats. (Sogore, et al 2024) Studies have referred to the dangers of go-contamination for the duration of cell tradition and bioreactor breaches, especially with non-sterile air, medium exchanges, or system surfaces (Specht et al., 2018).

Monitoring ought to consequently include:



Figure 1: Monitoring Guidelines for Microbiological Safety

Advanced tools such as QPCR (Quantitative Polymerase Chain Reaction), next generation sequencing, and biosensor -based monitoring are recommended for detecting real -time pathogens, although they are not yet widely standardized throughout the industry (Post et al.,2020) Figure 1 shows the monitoring guidelines for microbial safety. Although conventional meat depends on post-processing sterilization (e.g. washing, irradiation), the cultivated meat requires a guarantee of sterility-to-change that requires investment in closed system design and personnel training.

ii. Nutritional composition

Cultivated meat should combine or exceed the nutritional profile of traditional meat to obtain regulatory and consumer approval (Chotelersak et al 2024). The main parameters include Protein content and amino acid composition, Fat content and fatty acid profiles & Vitamins and minerals (e.g. iron, zinc, B12) Figure 2 shows the precise quantified tools for nutritional profile. Bhat et al. (2019) and Chriki & Hocquette (2020) point out that cell culture systems allow controlled nutrient modulation, which means that producers can improve health benefits, increase omega-3 fatty acids and reduce saturated fat.



Figure 2 : Precise quantification tools

A challenge identified in several studies is the lack of vascularization, which makes it difficult to incorporate iron (myoglobin) and other heme -related compounds (Kadim et al., 2015). This affects nutrition and color. Although cultivated meat offers theoretical advantages in nutrient design, researchers agree that bioavailability studies and nutrient stability tests are sub -reported in the current literature (BRYANT, 2020; Post et al., 2020).

iii. Structural and Sensory Properties

The sensory attributes of cultured meat which relate to consumer acceptance, such as texture, flavor and appearance, are critical. Sensory attributes are influenced by complex muscle architecture that cannot easily be replicated in vitro.

- **Texture:** Scanning electron microscopy (SEM) and texture profile analysis (TPA) for textured cell aggregates have demonstrated that unstructured cell aggregates have aligned myofiber structure which dominates meat (Fraeye et al., 2020, MacQueen, et al 2019)
- **Flavor:** Lab-created meat lacks intramuscular fat marbling and vascular-derived compounds to produce a flavor through a Maillard reaction. While there are evidence flavor precursors can be included in culture, the effectiveness of this nutritional supplementation mechanism is unknown (Hocquette, 2016).
- **Color:** The absence of myoglobin in lab-grown meat leads to pale or beige coloration in beef analogs. Approaches involving color concerns include: genetically modifying the cultured cells, using culture media supplementation, or, modifying cultured cells with plant-based heme (i.e., soy leghemoglobin) (Kadim et al., 2015).

Consumer sensory panels and gas chromatography mass spectrometry-based flavor omics have

recently been applied to measure prototypes, and benchmarking between analog and real meat remains inconsistent erasing defined relevance (Bryant & Barnett, 2020). Many researchers agree structured meat is a frontier topic. Only minced-style products are close to commercialization (Post et al., 2020). Edible scaffold development, mechanical stimulation, and co-cultured fat-muscle tissues are actively being compared. (Arshad MS, et al 2017)

iv. Biochemical and Molecular Markers

To establish safe and replicable lab-grown meat products, some form of testing is expected at both the molecular and metabolic levels. Safety of residual growth factors, such as those derived from FBS media, recombinant proteins, etc., should be monitored (Specht et al., 2018). ELISA and LC-MS, are standard detection techniques. Materials used for scaffolds must be assessed to determine, again, whether they can be biodegraded or eaten. Some materials such as alginate, cellulose, and soy protein isolate are being tested for regulatory approval (Fraeye et al., 2020, Singh et al 2023). Any cell line and the resulting product must be evaluated for genetic stability to avoid mutation or differentiation loss. Suitable tools for evaluation would be some form of karyotyping or STR profiling. Emerging technologies including metabolomics and proteomics, would allow some level of batch-to-batch quality assessment at a more fundamental level. These technologies allow early detection of a multitude of stressors such as contamination, oxidative stress, or nutrient depletion (Bhat et al., 2019). Regulators already require traceability of the inputs and final products at the molecular level and therefore Quality Control based on omics principles will be a significant component in the future of product assessment of cultured meat. (Hong, et al 2021)

3. REGULATORY PERSPECTIVES:

Analyzing the Global Policy Context for Cultured Meat

Regulatory oversight is one of the most significant chokepoints in the commercialization of lab-grown meat. As cultured meat does not naturally fit into existing definitions of meat or new food technology, regulatory authorities between jurisdictions have adopted a wide range of approaches. This section examines how several leading regions – specifically the US, EU, Singapore, and others – are creating frameworks to assess safety, labeling, and control over lab-grown meat. Figure 3 shows regulatory perspectives of cultured meat in several leading regions.




Figure 3 Regulatory perspectives of cultured meat in several leading regions.

i. United States: A Dual-Agency Approach

Cultured meat regulation in the US takes the form of a shared jurisdiction model between the Food and Drug Administration (FDA) and the United States Department of Agriculture (USDA):

- To oversee the pre-harvest phase, which includes cell sourcing, cell banking, growth media, and initial culture steps (FDA, 2022).

- The USDA's Food Safety and Inspection Service (FSIS) takes jurisdiction over the harvest and post-processing aspects of cultured meat, including sanitation, packaging, and labeling (USDA, 2021).

This system was formalized when both agencies released an interagency agreement in POST, an agreement seen as a model of regulatory coordination (FDA-USDA, 2019). The U.S. was one of the first countries to approve the sale of cultured meat in a commercial setting, after which both the FDA and USDA jointly approved GOOD. The U.S. framework is comparatively more developed, yet scholars emphasize the need for more explicit guidance regarding labeling, especially regarding consumer perception and truth-in-advertising (Bryant & Dillard, 2019).

ii. European Union: Precaution and Complexity

The European Union (EU) regulates cultured meat as a new food under EU Regulation 2015/2283. All new food must undergo pre-market authorization by the European Food Safety Authority (EFSA).

- Applications must include comprehensive toxicology, composition, allergenic, and nutritional data (EFSA, 2020).
- The authorization process can take between 2-5 years, depending on both the novelty of the product and complexity of the data.

As of 2024, no cultured meat products have been authorized in the EU, in part due to slower regulatory timelines along with greater consumer skepticism (Chriki & Hocquette, 2020). The EU's approach is viewed as thorough and perhaps too cautious, which may hinder innovation unless the complexity of the evidence/processes is reduced. Several scholars suggest standardizing definitions

of meat and developing a tiered approval process (Stephens et al., 2018).

iii. Singapore: Global Regulatory Leader

In 2020, Singapore was the first country in the world to authorize lab-grown meat for sale. Departing from the approach under consideration in many countries, the Singapore Food Agency (SFA) took a regulatory approach that was science-based using a framework that included:




Figure4: SFA Regulatory Framework

The Singapore SFA (Mok, W.K., 2020) with its efficiency, developed a transparent regulatory framework, and demonstrated its suitability to be the regulatory jurisdiction for alternative protein development (Shibata, 2022). Figure 3 shows the SFA regulatory framework. There are multiple reviews (e.g., GFI ,2025) identify Singapore as a 'best practice' case. Its early mover advantage, position Singapore as a location for new start-up companies and investors seeking greater regulatory assurance.

iv. Other Countries: Progress and Regulatory Design

Many countries are developing approaches to regulatory reform. Japan has been active in exploring pathways to regulatory reform through the Ministry of Health, Labor and Welfare (Food Safety Commission of Japan 2017). “In brief policy discussions on lab-grown meat, the initial focus has been product safety and food labeling, and religious considerations were spoke of but not specifically referenced (Shibata, 2022, Kazunari Kondo ^{et al} 2022). Israel has more than 20 cultured

meat start-ups, which has prompted the development of a national standards framework in an attempt to balance innovation with consumer protection. (Ben-Arye T, et al 2022, Grosplik et al 2024). For cultured meat under Food Standards Australia New Zealand (FSANZ) is considered a novel food product which will follow the steps for a food product including a safety dossier, risk assessment, and authorization where there will be a public consultation period (FSANZ, 2023).

v. Global Harmonization Obstacles

The lack of international harmonization/standardized regulation presents a notable barrier regarding trade, labeling, and consumer confidence. Several authors pointed out the issues like labeling terms. "Cultured," "Cell-based," "lab-grown," and "clean meat" are terms that people have used inconsistently and has the potential to confuse consumers (Bryant C, 2020) & export/import restrictions. Uncertainties about Religious certification certifications such as Halal and kosher status remain unclear (Sophie Attwood, et al 2023) Religious scholars could be ambiguous in deciding, where the cell came from, where the media components came from, and if slaughter alternatives do not inconvenience believers. There have not been any standards to date in codex alimentarium, although the initiation of development efforts is underway under the global framework of food safety. (Abdullah, et al 2019)

4. ENVIROMENTAL IMPLICATION ISSUES:

One of the most frequently discussed benefits of lab-grown meat is its potential to mitigate the environmental consequences of traditional animal production. Advocates have, for example, pointed out lab-grown meat's capacity to decrease the levels of GHG emissions, land use, and water depletion (Tuomisto & Teixeira de Mattos, 2011). Nevertheless, many of these assumptions have been scrutinized, with researchers challenging the thinking behind these findings, wanting a more

complete picture of the outcomes that depend heavily on energy inputs, infrastructure, and scale of production (Humbird, 2021; Lynch & Pierrehumbert, 2019).

i. Energy Use and Greenhouse Gas Emissions

Previous life cycle assessment (LCA) models indicated laboratory-produced meat could produce as much as 96% less greenhouse gas (GHG) emissions than conventional beef (Tuomisto & Teixeira de Mattos, 2011). These early life cycle assessment (LCA) models assumed energy systems with highly efficient, renewable energy systems – an optimistic view of technology adoption.

Humbird (2021) used techno-economic models to examine industrial-scale production; his findings suggested that cultured meat could regularly produce greater quantities of trillion tons of CO₂ per km than either poultry or pork with, for example, fossil-fuel energy sources. Lynch & Pierrehumbert (2019) modeled the long-term climate implications of methane (from cattle) and carbon dioxide (from cultured meat production). They concluded while methane dissipates more rapidly than carbon dioxide reaches a long-term persistency which may accumulate disproportionately with no significant energy-related reductions

ii. Land and Water Use Efficiency

There is considerable consensus in the literature about cultured meat's efficiency of land and water use are better. Tuomisto et al. (2014) established lab-grown meat may require as much as 99% less land and 90% less water compared to beef raised in traditional livestock systems. Mattick et al. (2015) acknowledged the significant reduction, but was method and facility dependent (for example, the facility's refrigeration/cooling options), particularly with regard to water use. The efficiencies which attribute to general characteristics of cultured meat production are no necessity for grazing, or feed crop production, cellular-level protein conversion ratios are better (i.e., a cell vs an animal),

& ability for modular, vertical production systems.

iii. Waste Generation and Bioprocessing Byproducts

Bioreactor-based systems will also have waste streams that differ from traditional agriculture systems. Spent culture media containing nutrients, metabolic waste, and the possibility of antibiotics or growth factors - all of which will need treatment before disposal (Specht et al., 2018), Anything non-edible such as scaffolds and any biological waste (non-viable cells). Disposal or composting procedures would depend on the materials comprising the scaffolding. Limited studies investigating outputs of this type have been published. Verbruggen et al. (2018) suggested LCA should be broadened to include wastes management, media recycling, and emissions generated through infrastructure.

iv. Infrastructure and Scaling Challenges

Cultured meat lacks scale-able energy efficient infrastructure

- Bioreactors must regulate things like temperature, pH, oxygen, & sterility across larger scale
- Facilities may be comparable to a pharmaceutical cleanroom which requires large-scale installed HVAC and air filtration systems

Humbird (2021) emphasizes that this type of infrastructure - if replicated globally - could a larger emission than some entire industrial sectors - unless powered with clean energy. Many current models also ignore the embodied emissions for construction materials, HVAC systems, and the capital equipment. Embodied emissions may underestimate the actual climate impact over the lifespan of a large-scale cultured meat facility.

v. **Uncertainty in life cycle assessment (LCA)**

A major issue for researchers seeking to compare lab-grown meat and conventional meat is the inconsistent assumptions used by the LCA practitioners




Figure 5- Life Cycle Assessments

Smetana et al. (2015) evaluated numerous LCA studies indicating that cultured meat may perform well under optimal circumstances, but not necessarily better than the newest forms of traditional meat - particularly chicken or pork. There is increasing consensus that standardized, transparent LCA protocols for cultured meat are urgently needed. Figure 5 shows the life cycle assessments of culture meat. Comparing studies, is currently impossible based on the inconsistent system boundaries, the inconsistent unit measurements used in calculations, and both the omission of indirect impacts and the possible exclusion of indirect impacts found in life-cycle analysis. Table 1 shows the LCA insights of environmental implication issues.

Table 1: LCA Insights

Study	GHG Emissions	Land Use	Water Use	Energy Use
Tuomisto & de Mattos (2011)	78–96% lower than beef	~99% less	~82–90% less	Assumes renewables
Mattick et al. (2015)	Comparable to pork/chicken	Significantly less	Lower, but variable	High, dependent on scale
Humbird (2021)	Possibly higher than chicken	Moderate reduction	Not evaluated	Very high (CO ₂ -intensive)
Lynch & Pierrehumbert (2019)	More long-term CO ₂ impact	N/A	N/A	Risky under fossil fuels

5. CHALLENGES AND BARRIERS:

While the scientific understanding and methods surrounding cultured meat production are advancing quickly, important barriers and challenges remain before the cultured meat industry can be scaled, regulated, and commercially available. Challenges range from technical feasibility, costs, public perceptions, and cultural or ethical tensions. The following sections highlight the most important barriers identified in the literature by synthesizing information from current research and expert reviews. We attempt to evaluate the implications of these barriers for the cultured meat industry.

i. Technical Challenges and Scale-Up Issues

The differences between cultured meat from lab prototypes to commercial scale is a challenge for engineers and biologists, cultured meat production is complex because it requires a sustaining cry

banking portion of the cultured meat and enough robust immortalized cell lines that proliferate quickly, but don't lose their differentiation potential (Chen L, et al 2022). Most studies rely on primary myoblasts with limited doubling. Scaffold and Tissue Structuring: making structured meats (steaks) requires scaffolds that imitate the integrity and functionality of the extracellular matrix while providing an edible or biodegradable option. (Park SM, et al 2025) This is still technically challenging and expensive. Current bioreactors are designed for microbes or suspension cells, not adhered mammalian cells. Bioreactors are under design for cultured meat but when you up-scale you could max out on oxygen/nutrient diffusion limits and shear stress .Because cultured meat was propagated in sterile conditions, the more you devote methylene blue and sodium bicarbonate into the nutrient solution, or use a vitamin regimen to conduct the premium soaked in sodium bicarbonate the more extensive the duration for that sterile propagation, the more potential for losing the integrity of that deterioration and losing viability in batch productions for commercial purposes . A breach gives you a 100% loss of that batch, and longer propagation creates the potential higher match operational costs for bacteria being bacteria the potential loss is higher if there were a breach during production. (Gu H, et al 2025)

ii. Economic Viability and Cost Constraints

Cultured meat is much more expensive than conventional meat for a wide variety of reasons. One is that Media comprises over 80% of production costs. Using fetal bovine serum (FBS) is contrary to ethical goals, and it cannot be scaled, and while there are serum-free formulations, they tend to be expensive and proprietary (Quek JP, et al 2024). Setting up bioreactor-based, food-grade sterile facilities can cost hundreds of millions of dollars. Unlike conventional meat, these need to be done with pharmaceutical-level precision (Garrison GL et al 2022). Additionally, the costs of skilled labor, quality control staff, the cost of energy, and the risk (not selling anything) increase the

operational costs (Hubalek S, et al 2022). The production of chicken and beef matured over decades of production with the benefit of economies of scale; however, cultured meat is still in an infant stage, i.e., pilot plants (GFI 2025) produce less than 1000 kg/year.

iii. Public Perception and Consumer Acceptance

Cultural, psychological, and ethical factors heavily influence the acceptability of cultured meat; some consumer studies find that lab-grown meat is perceived as synthetic and artificial or unsafe is a widespread descriptor (Wilks et al, 2017). Emotional reactions take priority over rational eco-benefits (Verbeke, et al 2015) We need to note that different words evoke other reactions, e.g., lab-grown, cell-based, synthetic meat. On the other hand, terms like clean meat or cultivated meat have better outcomes in acceptance studies (Lusk JL et al 2021). Acceptance improves dramatically after tasting trials or positive messaging to consumers (Rolland NC et al 2020). Lab-grown meat's acceptability under environmental and animal welfare perspectives is inconsistent and politically charged (environmentalist view is more favorable); people also favor eating the meat from a triple bottom line view. (Ho SS, Ou M, et al 2023)

iv. Regulatory and Policy Barriers

Regulation also has barriers (from section III) because each jurisdiction has different safety, labeling and approval criteria. (Bakhsh A, et al 2025) It makes exportation plans difficult for companies and slows down their global rollout (Zandonadi RP, et al 2025). On safety and efficacy, many companies rely on proprietary media formulations and cell lines. Limited academic validation adds to reduced public confidence. As stated above, religious and legal definitions of "meat" are blocking both the labeling and therefore eligibility for subsidies or certifications (Failla M, et al 2023).

6. FUTURE PROSPECTS AND INNOVATIONS:

The future of lab-grown meat will be affected by several factors: technological advancement, goals for environmental sustainability, and the application of regulatory frameworks. Innovative advancements in science and technology, combined with governments and institutions sportive of lab-grown meat as an environmentally sustainable solution, have the capacity to quicken its adoption. Within those confines, economic and social forces will have a role in promoting the growth of even more market segments via availability and distribution of lab-grown meats. The future of cultured meat is specifically focused on four aspects below:

i. Scientific & Technological Improvements

As cell culture techniques, bioreactor processes, serum-free medium in production, and edible scaffolding are improved upon, the quality and affordability of products will improve, and ultimately learn towards large-scale manufacturability. (Benny, A. et al 2022, Kolkmann, et al 2020)

ii. Sustainable Food System Resilience

The production of lab-grown meat can be integrated with the production of other renewable energy and food solutions, promoting sustainability and circularity by eliminating some diversion of resources in the production of livestock. (. Ching XLet al 2022)

iii. Policy, Investment, and Collaboration Environment

Policies, risk capital, and public-private ventures can leverage collective capabilities to build public confidence and have positive economic implications. (. Letti LAJ et al 2021)

iv. Future Market Growth Scenarios and Equity

Future market development will depend on affordability and acceptance of a novel protein source, at a variety of levels from tight niche markets for the premium to mainstream consumption, as equity concerns may burnish valuation. (. Samad A, et al 2024)

7. CONCLUSION:

Lab-grown meat is situated at the cutting edge of food innovation, providing an opportunity to replace traditional animal agriculture while addressing crucial issues like environmental sustainability, animal welfare, and global food security challenges. This review emphasizes that cultured meat provides positive environmental outcomes in terms of reducing land, GHG emissions and water usage, providing for nutritional customization, and reducing animal suffering, but important hurdles exist in terms of product safety, regulatory standardization, and energy-efficient production. Current analytical quality control practices, particularly for microbiological safety and nutritional adequacy, are underdeveloped and inconsistent across regions, while disjointed global regulations extend time to commercialization. Further, environmental benefits hinge on future improvements in bioprocessing technologies and the use of renewable energy.

Regardless, the industry continues to develop rapidly through different innovations such as serum-free growth media, 3D bioprinting, and AI sustained management of bioreactors. The success of cultured meat implementation will rely on advances in technology being matched by affordable production, regulation transparency, and consumer trust. Policymakers to create a supportive environment, utilize inclusive governance, and coordinate with sustainability policies will be critical to whether lab-grown meat will be accepted from niche markets to broad international embracement. Through continued interdisciplinary collaboration, lab-grown meat can potentially disrupt the

protein industry and play an important role in finding more ethical.

Ethical Consideration:

Not applicable

Conflicts of interest:

The authors declared that there is no conflict of interest.

REFERENCES:

1. Abdullah FAA, Borilova G, Steinhauserova I. Halal criteria versus conventional slaughter technology. *Animals (Basel)* [Internet]. 2019;9(8):530. Available from: <http://dx.doi.org/10.3390/ani9080530> .
2. Armstrong E, Ciappesoni G, Iriarte W, Da Silva C, Macedo F, Navajas EA, et al. Novel genetic polymorphisms associated with carcass traits in grazing Texel sheep. *Meat Sci* [Internet]. 2018;145:202–8. Available from: <http://dx.doi.org/10.1016/j.meatsci.2018.06.014> .
3. Arshad MS, Javed M, Sohaib M, Saeed F, Imran A, Amjad Z. Tissue engineering approaches to develop cultured meat from cells: A mini review. *Cogent Food Agric* [Internet]. 2017;3(1):1320814. Available from: <http://dx.doi.org/10.1080/23311932.2017.1320814> .
4. Attwood S, Jameel S, Fuseini A, AlKhalawi E, Hajat C. Halal cultivated meat: an untapped opportunity. *Front Nutr* [Internet]. 2023;10:1196475. Available from: <http://dx.doi.org/10.3389/fnut.2023.1196475> .
5. Bakhsh A, Kim B, Ishamri I, Choi S, Li X, Li Q, et al. Cell-based meat safety and regulatory approaches: A comprehensive review. *Food Sci Anim Resour* [Internet]. 2025;45(1):145–64. Available from: <http://dx.doi.org/10.5851/kosfa.2024.e122> .
6. Benny A, Pandi K, Upadhyay R. Techniques, challenges and future prospects for cell-based meat. *Food Sci Biotechnol* [Internet]. 2022;31(10):1225–42. Available from: <http://dx.doi.org/10.1007/s10068-022-01136-6> .
7. Bhat ZF, Fayaz H. Prospectus of cultured meat—advancing meat alternatives. *J Food Sci Technol* [Internet]. 2011;48(2):125–40. Available from: <http://dx.doi.org/10.1007/s13197-010-0198-7> .
8. Bhat ZF, Kumar S, Fayaz H. In vitro meat production: Challenges and benefits over conventional meat production. *J Integr Agric* [Internet]. 2015;14(2):241–8. Available from: [http://dx.doi.org/10.1016/s2095-3119\(14\)60887-x](http://dx.doi.org/10.1016/s2095-3119(14)60887-x) .
9. Bryant C, Barnett J. Consumer acceptance of cultured meat: An updated review (2018–2020). *Appl Sci (Basel)* [Internet]. 2020;10(15):5201. Available from: <http://dx.doi.org/10.3390/app10155201> .
10. Bryant C, Dillard C. The impact of framing on acceptance of cultured meat. *Front Nutr* [Internet]. 2019;6:103.

Available from: <http://dx.doi.org/10.3389/fnut.2019.00103> .

11. Bryant CJ. Culture, meat, and cultured meat. J Anim Sci [Internet]. 2020;98(8). Available from: <http://dx.doi.org/10.1093/jas/skaa172> .
12. Chen L, Guttieres D, Koenigsberg A, Barone PW, Sinskey AJ, Springs SL. Large-scale cultured meat production: Trends, challenges and promising biomanufacturing technologies. Biomaterials [Internet]. 2022;280(121274):121274. Available from: <http://dx.doi.org/10.1016/j.biomaterials.2021.121274> .
13. Ching XL, Zainal NAAB, Luang-In V, Ma NL. Lab-based meat the future food. Environ Adv [Internet]. 2022;10(100315):100315. Available from: <http://dx.doi.org/10.1016/j.envadv.2022.100315> .
14. Chotelersak K, Teerawongsuwan S, Suwan N, Saipin N, Jaisin Y, Suriyut J, et al. In vitro cultured meat: Nutritional aspects for the health and safety of future foods. Trends Sci [Internet]. 2024;22(2):9060. Available from: <http://dx.doi.org/10.48048/tis.2025.9060> .
15. Chriki S, Hocquette J-F. The myth of cultured meat: A review. Front Nutr [Internet]. 2020;7:7. Available from: <http://dx.doi.org/10.3389/fnut.2020.00007>.
16. Datar I, Betti M. Possibilities for an in vitro meat production system. Innov Food Sci Emerg Technol [Internet]. 2010;11(1):13–22. Available from: <http://dx.doi.org/10.1016/j.ifset.2009.10.007>
17. Failla M, Hopper H, Wee J. Evaluation of public submissions to the USDA for labeling of cell-cultured meat in the United States. Front Nutr [Internet]. 2023;10:1197111. Available from: <http://dx.doi.org/10.3389/fnut.2023.1197111>
18. Fda.gov. Available from: <https://www.fda.gov/food>
19. Fraeye I, Kratka M, Vandeburgh H, Thorrez L. Sensorial and nutritional aspects of cultured meat in comparison to traditional meat: Much to be inferred. Front Nutr [Internet]. 2020;7(35). Available from: <http://dx.doi.org/10.3389/fnut.2020.00035>
20. Garrison GL, Biermacher JT, Brorsen BW. How much will large-scale production of cell-cultured meat cost? J Agric Food Res [Internet]. 2022;10(100358):100358. Available from: <http://dx.doi.org/10.1016/j.jafr.2022.100358>
21. GFI: Trends in cultivated meat scale-up and bioprocessing - Europabio [Internet]. Europabio - Europabio. Europabio; 2024 [cited 2026 Feb 10]. Available from: <https://www.europabio.org/gfi-trends-in-cultivated-meat-scale-up-and-bioprocessing>
22. Godfray HCJ, Aveyard P, Garnett T, Hall JW, Key TJ, Lorimer J, et al. Meat consumption, health, and the environment. Science [Internet]. 2018;361(6399). Available from: <http://dx.doi.org/10.1126/science.aam5324>
23. Groszlik R, Raz A, Shahar DR, Avieli N. Considering the alternatives: lessons from Israel's meat substitutes initiatives. Front Sustain Food Syst [Internet]. 2024;7(1342774). Available from: <http://dx.doi.org/10.3389/fsufs.2023.1342774>
24. Gu H, Kong Y, Huang D, Wang Y, Raghavan V, Wang J. Scaling cultured meat: Challenges and solutions for affordable mass production. Compr Rev Food Sci Food Saf [Internet]. 2025;24(4):e70221. Available from: <http://dx.doi.org/10.1111/1541-4337.70221>

25. Ho SS, Ou M, Ong ZT. Exploring the general public's and experts' risk and benefit perceptions of cultured meat in Singapore: A mental models approach. PLoS One [Internet]. 2023;18(11):e0295265. Available from: <http://dx.doi.org/10.1371/journal.pone.0295265>
26. Hocquette J-F. Is in vitro meat the solution for the future? Meat Sci [Internet]. 2016;120:167–76. Available from: <http://dx.doi.org/10.1016/j.meatsci.2016.04.036>
27. Hong TK, Shin D-M, Choi J, Do JT, Han SG. Current issues and technical advances in cultured meat production: A review. Food Sci Anim Resour [Internet]. 2021;41(3):355–72. Available from: <http://dx.doi.org/10.5851/kosfa.2021.e14>
28. Hubalek S, Post MJ, Moutsatsou P. Towards resource-efficient and cost-efficient cultured meat. Curr Opin Food Sci [Internet]. 2022;47(100885):100885. Available from: <http://dx.doi.org/10.1016/j.cofs.2022.100885>
29. Humbird D. Scale-up economics for cultured meat. Biotechnol Bioeng [Internet]. 2021;118(8):3239–50. Available from: <http://dx.doi.org/10.1002/bit.27848>
30. Kadim IT, Mahgoub O, Baqir S, Faye B, Purchas R. Cultured meat from muscle stem cells: A review of challenges and prospects. J Integr Agric [Internet]. 2015;14(2):222–33. Available from: [http://dx.doi.org/10.1016/s2095-3119\(14\)60881-9](http://dx.doi.org/10.1016/s2095-3119(14)60881-9)
31. Kolkman AM, Post MJ, Rutjens MAM, van Essen ALM, Moutsatsou P. Serum-free media for the growth of primary bovine myoblasts. Cytotechnology [Internet]. 2020;72(1):111–20. Available from: <http://dx.doi.org/10.1007/s10616-019-00361-y>
32. Letti LAJ, Karp SG, Molento CFM, Colonia BSO, Boschero RA, Soccol VT, et al. Cultivated meat: recent technological developments, current market and future challenges. Biotechnol Res Innov [Internet]. 2021;5(1):e2021001. Available from: <http://dx.doi.org/10.4322/biori.202101>
33. Lynch J, Pierrehumbert R. Climate impacts of cultured meat and beef cattle. Front Sustain Food Syst [Internet]. 2019;3. Available from: <http://dx.doi.org/10.3389/fsufs.2019.00005>
34. MacQueen LA, Alver CG, Chantre CO, Ahn S, Cera L, Gonzalez GM, et al. Muscle tissue engineering in fibrous gelatin: implications for meat analogs. Npj Sci Food [Internet]. 2019;3(1):20. Available from: <http://dx.doi.org/10.1038/s41538-019-0054-8>
35. Management Board members, Executive Director, Operational Management. European food safety authority [Internet]. European Food Safety Authority. Available from: <https://www.efsa.europa.eu>
36. Mattick CS, Landis AE, Allenby BR. A case for systemic environmental analysis of cultured meat. J Integr Agric [Internet]. 2015;14(2):249–54. Available from: [http://dx.doi.org/10.1016/s2095-3119\(14\)60885-6](http://dx.doi.org/10.1016/s2095-3119(14)60885-6)
37. Mok WK, Tan YX, Chen WN. Technology innovations for food security in Singapore: A case study of future food systems for an increasingly natural resource-scarce world. Trends Food Sci Technol [Internet]. 2020;102:155–68. Available from: <http://dx.doi.org/10.1016/j.tifs.2020.06.013>
38. Park S-M, Ryoo J-H, Kwon HC, Han SG. Scaffold biomaterials in the development of cultured meat: A review. Food Sci Anim Resour [Internet]. 2025;45(3):688–710. Available from: <http://dx.doi.org/10.5851/kosfa.2025.e13>

39. Poore J, Nemecek T. Reducing food's environmental impacts through producers and consumers. *Science* [Internet]. 2018;360(6392):987–92. Available from: <http://dx.doi.org/10.1126/science.aag0216>
40. Post MJ. Cultured meat from stem cells: challenges and prospects. *Meat Sci* [Internet]. 2012;92(3):297–301. Available from: <http://dx.doi.org/10.1016/j.meatsci.2012.04.008>
41. Post MJ, Hocquette JF, Lebret B. Cultured meat: The future of meat production. *Annual Review of Food Science and Technology*. 2020;11:467–83.
42. Quek JP, Gaffoor AA, Tan YX, Tan TRM, Chua YF, Leong DSZ, et al. Exploring cost reduction strategies for serum free media development. *Npj Sci Food* [Internet]. 2024;8(1):107. Available from: <http://dx.doi.org/10.1038/s41538-024-00352-0>
43. Reddy N, Reddy R, Jiang Q. Crosslinking biopolymers for biomedical applications. *Trends Biotechnol* [Internet]. 2015;33(6):362–9. Available from: <http://dx.doi.org/10.1016/j.tibtech.2015.03.008>
44. Rolland NCM, Markus CR, Post MJ. The effect of information content on acceptance of cultured meat in a tasting context. *PLoS One* [Internet]. 2020;15(4):e0231176. Available from: <http://dx.doi.org/10.1371/journal.pone.0231176>
45. Rubio NR, Fish KD, Trimmer BA, Kaplan DL. Possibilities for engineered insect tissue as a food source. *Front Sustain Food Syst* [Internet]. 2019;3. Available from: <http://dx.doi.org/10.3389/fsufs.2019.00024>
46. Samad A, Kim S, Kim CJ, Lee E-Y, Kumari S, Hossain MJ, et al. Revolutionizing cell-based protein: Innovations, market dynamics, and future prospects in the cultivated meat industry. *J Agric Food Res* [Internet]. 2024;18(101345):101345. Available from: <http://dx.doi.org/10.1016/j.jafr.2024.101345>
47. Singh A, Kumar V, Singh SK, Gupta J, Kumar M, Sarma DK, et al. Recent advances in bioengineered scaffold for in vitro meat production. *Cell Tissue Res* [Internet]. 2023;391(2):235–47. Available from: <http://dx.doi.org/10.1007/s00441-022-03718-6>
48. Researchgate.net. [cited 2026 Feb 10]. Available from: https://www.researchgate.net/publication/291346313_Sustainability_of_Meat_Substitutes_a_Path_to_Future_Foods
49. Sogore T, Guo M, Sun N, Jiang D, Shen M, Ding T. Microbiological and chemical hazards in cultured meat and methods for their detection. *Compr Rev Food Sci Food Saf* [Internet]. 2024;23(4):e13392. Available from: <http://dx.doi.org/10.1111/1541-4337.13392>
50. Stephens N, Di Silvio L, Dunsford I, Ellis M, Glencross A, Sexton A. Bringing cultured meat to market: Technical, socio-political, and regulatory challenges in cellular agriculture. *Trends Food Sci Technol* [Internet]. 2018;78:155–66. Available from: <http://dx.doi.org/10.1016/j.tifs.2018.04.010>
51. The future of food and agriculture – Alternative pathways to 2050 [Internet]. *Fao.org*. Available from: <https://www.fao.org/global-perspectives-studies/resources/detail/en/c/1157074>
52. Tuomisto HL, de Mattos MJT. Environmental impacts of cultured meat production. *Environ Sci Technol* [Internet]. 2011;45(14):6117–23. Available from: <http://dx.doi.org/10.1021/es200130u>
53. Verbeke W, Sans P, Van Loo EJ. Challenges and prospects for consumer acceptance of cultured meat. *J Integr Agric* [Internet]. 2015;14(2):285–94. Available from: [http://dx.doi.org/10.1016/s2095-3119\(14\)60884-4](http://dx.doi.org/10.1016/s2095-3119(14)60884-4)

54. Wilks M, Phillips CJC. Attitudes to in vitro meat: A survey of potential consumers in the United States. PLoS One [Internet]. 2017;12(2):e0171904. Available from: <http://dx.doi.org/10.1371/journal.pone.0171904>
55. Zandonadi RP, Ramos MC, Elias FTS, Guimarães NS. Global insights into cultured meat: Uncovering production processes, potential hazards, regulatory frameworks, and key challenges-A scoping review. Foods [Internet]. 2025;14(1):129. Available from: <http://dx.doi.org/10.3390/foods14010129>